

Pocket Reference Chart



Rings and Plates

Half Rings (SST)

Cat. No.	Internal Diameter	Cat. No.	Internal Diameter
10-1317	80 mm	101306	160 mm
10-1300	100 mm	101307	180 mm
10-1301	110 mm	101308	200 mm
10-1302	120 mm	101309	220 mm
10-1303	130 mm	101310	240 mm
10-1304	140 mm		
10-1305	150 mm		



5/8 Rings (SST)

Cat. No.	Internal Diameter
10-1323	130 mm
10-1325	150 mm
10-1326	160 mm
10-1327	180 mm



Half Rings With Curved Extremities (SST)

Cat. No.	Internal Diameter
10-1332	120 mm
10-1333	130 mm
10-1335	150 mm



Half Ring (Composite)

Cat. No.	Internal Diameter	Cat. No.	Internal Diameter	Degrees Diameter
10-1367	80 mm			
10-1356	160 mm			
10-1350	100 mm	101355	150 mm	
7110-1347	170 mm	71101453	130 mm	180
10-351	110 mm	71101455	150 mm	180
10-1357	180 mm	71101456	160 mm	180
10-1352	120 mm	71101457	180 mm	180
10-1358	200 mm	71101458	200 mm	180
10-1353	130 mm	71101555	150 mm	90
10-1359	220 mm	71101557	180 mm	90
10-1354	140 mm	71101558	200 mm	90
10-1360	240 mm			



5/8 Ring (Composite)

Cat. No.	Internal Diameter
10-1367	80 mm
10-1363	130 mm
10-1364	150 mm
10-1365	160 mm
10-1366	180 mm
7110-1362	200 mm



Half Pin Rings (Composite)

Cat. No.	Internal Diameter
7110-1453	130 mm
7110-1455	150 mm
7110-1456	160 mm
7110-1457	180 mm
7110-1458	200 mm




Half Pin Arches (Composite)

Cat. No.	Internal Diameter	Arc
7110-1555	150 mm	90
7110-1557	180	90
7110-1558	200	90



Foot Rings (Composite)

Cat. No.	Internal Diameter	Length
10-1219	100 mm	80
10-1211	120 mm	80
10-1213	140 mm	80
10-1215	160 mm	80
10-1217	180 mm	80
10-1210	100 mm	160
10-1212	120 mm	160
10-1214	140 mm	160
10-1216	160 mm	160
10-1218	180 mm	160



Short Connection Plates (SST)

Cat. No.	Length	Holes
10-1810	35 mm	2
10-1800	45 mm	3
10-1801	55 mm	4
10-1802	65 mm	5
10-1803	75 mm	6
10-1804	85 mm	7
10-1805	95 mm	8
10-1806	105 mm	9
10-1807	115 mm	10



Long Connection Plates (SST)

Cat. No.	Length	Holes
10-0400	155 mm	8
10-0401	235 mm	12
10-0402	335 mm	17



Long Connection Plates (Composite)

Cat. No.	Length
10-0420	155 mm
10-0421	235 mm
10-0422	335 mm



Connection Plates With Threaded Ends (SST)

Cat. No.	Length	Holes
10-0500	135 mm	5
10-0501	175 mm	7
10-0502	215 mm	9
10-0503	255 mm	11



Twisted Plates (SST)

Cat. No.	Length	Holes
L10-1900	45 mm	8
10-1901	65 mm	12
10-1902	85 mm	17



Curved Plate (SST)

Cat. No.	Holes
10-2000	3



Nuts, Bolts and Washers

Nut (SST)

Cat. No.	Description
10-3300	10 mm hex head/6 mm I.D./5 mm thick



Thin Nut (SST)

Cat. No.	Description
10-3303	10 mm hex head/6 mm I.D./2.5 mm thick



Nylon Insert Nut

Cat. No. Description

10-3301 10 mm hex head/6 mm I.D./5 mm thick



Quick-Connect Nut (SST)

Cat. No.

7101-1002



Connection Bolts (SST)

Cat. No. Length

10-0550 8 mm

10-3200 10 mm

10-3201 16 mm

10-3203 20 mm

10-3202 30 mm



Shoulder Bolt (SST)

Cat. No.

7101-3204



Spacing Washers (SST)

Cat. No. Thickness Diameter

10-2700 1.5 mm 12 mm

10-2701 2.0 mm 14 mm

20-1800 2.0 mm 20 mm



Slotted Washer (SST)

Cat. No. Thickness

10-2600 2.0 mm



Fixation Bolt Washers (SST)

Cat. No. Thickness

10-2706 2.0 mm

10-2707 4.0 mm



Conical Washer Couple (SST)

Cat. No.

20-1700



Split Locking Washer (SST)

Cat. No. Thickness

10-2702 2.0 mm



Star Washer (SST)

Cat. No.

10-2708



Wires, Pins and Fixation Bolts

ILIZAROV Wires (Bayonet Point) (SST)

Cat. No. Diameter Length

10-2101 1.5 mm 300 mm

10-2102 1.8 mm 370 mm



ILIZAROV Wires Bayonet Point With Stopper (SST)

Cat. No. Diameter Length

10-2106 1.5 mm 300 mm

10-2107 1.8 mm 400 mm



ILIZAROV Wires Bayonet Point (TI)

Cat. No. Diameter Length

7101-15001.8 mm 400 mm



ILIZAROV Wires Bayonet Point With Stopper (TI)

Cat. No. Diameter Length

7101-15021.8 mm 400 mm



Olive Wire Washers

Cat. No. Description

7114-3107 SST

7101-1550 TI



Wire Fixation Bolts

Cat. No. Description

10-0600 Cannulated

10-0601 Cannulated with Threaded Head

10-0700 Slotted



Long Wire Fixation Bolts (SST)

Cat. No. Description

7101-3000 Slotted

7101-3002 Cannulated



Russian Wire Fixation Bolt (SST)

Cat. No.

7101-0705



ILIZAROV Half Pins (SST)

Cat. No. Length

7101-2502 5 mm x 180 mm

7101-2001 Wrench



Note Other Half Pin Systems Available

Arrow Half Pin

HA Half Pin

JET-X Half Pin



Half Pin Fixation Bolts (SST)

Cat. No. Description

10-0613 3 mm

10-0614 4 mm

10-0615 5 mm

10-0616 6 mm



Hardware

Threaded Rods (SST)

Cat. No.	Length	Cat. No.	Length
7101-2229	30mm	102305	200 mm
10-2300	60 mm	102311	250 mm
10-2301	80 mm	102312	300 mm
10-2302	100 mm	102313	350 mm
10-2303	120 mm	102314	400 mm
10-2304	150 mm		



Threaded Rods–Slotted (SST)

Cat. No.	Length
10-2400	40 mm
10-2401	60 mm
10-2402	80 mm
10-2403	100 mm



Graduated Telescopic Rods (SST and Aluminum)

Cat. No.	Length
10-0104	60mm
10-0105	100mm
10-0106	150mm
10-0107	200 mm
10-0108	250 mm



Telescopic Rods (SST and Aluminum)

Cat. No.	Length
10-0100	100 mm
10-0101	150 mm
10-0102	200 mm
10-0103	250 mm



4 Pt. Distraction/Compression Counter (SST)

Cat. No. Description
10-3302 10 mm square head



Threaded Sockets (SST)

Cat. No. Length

10-0900 20 mm

10-0910 30 mm

10-0901 40 mm

10-0911 60 mm



Hinges-Female (SST)

Cat. No. Description

10-1700 Standard

10-1702 Low Profile



Hinges-Male (SST)

Cat. No. Description

10-1600 Standard

10-1602 Low Profile



Hinges-90° (SST)

Cat. No. Description

10-2501 Standard

10-2500 Low Profile



Posts-Female (SST)

Cat. No. Holes

10-1500 2

10-1501 3

10-1502 4



Posts-Male (SST)

Cat. No. Holes

10-1400 2

10-1401 3

10-1402 4



Bushing (SST)

Cat. No.

10-0800



Universal Joint (SST)

Cat. No.

10-2550



Adjustable Pin Clamp Lockable Hinge (SST)

Cat. No.

7101-1000



Translation / Rotation Device (SST)

Cat. No.

10-1432



Wire Fixation Buckles (SST)

Cat. No. Description

10-0200 For Stainless Steel Ring

10-0250 For Composite Ring



Add-A-Ring Adapter (SST)

Cat. No.

7101-1001



Instruments

Dynamometric Wire Tensioner

Cat. No.
10-3101



Wire Tensioner

Cat. No.
10-3100



Fixation Bolt Wrench

Cat. No.
10-2911



Slotted Hex Wrench

Cat. No.
10-2910



Tubular Wrench

Cat. No. Description
10-3000 Angulated, 10 mm



Surgeon Wrench, Extended Handle

Cat. No. Description
10-2905 10 mm



Surgeon Wrench, Flex Head

Cat. No. Description
10-2907 10 mm



Surgeon Wrench, Extended Handle

Cat. No. Description
10-2906 13 mm Open/Box End



Patient Wrench

Cat. No. Description
10-2900 10 mm Open/Box End



Surgeon Wrench

Cat. No. Description
10-2901 19 mm Open/Box End
(for Graduated Tel. Rods)



Wire Guide

Cat. No.
10-2930



RANCHO System

Cubes (SST)

Cat. No. Holes

10-3451	1
10-3452	2
10-3453	3
10-3454	4
10-3455	5



Centering Sleeves (SST)

Cat. No. Description

10-3404	4 mm
10-3405	5 mm
10-3406	6 mm



Set Screws (SST)

Cat. No.

11-2727



Hex Driver, Straight

Cat. No. Description

11-2719	3.0 mm
---------	--------



Hex Driver, 90°

Cat. No. Description

11-2717	3.0 mm
---------	--------



Adapter Sleeve

Cat. No.

7101-1005



HEX-FIX° Guide and Trocar

Cat. No.

7103-1040



Pin Clamp (SST)

Cat. No. Holes

10-0301	1
10-0302	2
10-0303	3
10-0304	4
10-0305	5



Femoral

Femoral Arches (SST)

Cat. No. Description

20-1002	90° Arch, Small Size
20-1004	120° Arch, Small Size
20-1006	90° Arch, Large Size
20-1008	120° Arch, Large Size



Femoral Arches (Composite)

Cat. No. Description

20-1030	90° Arch, Small Size
20-1032	120° Arch, Small Size
20-1034	90° Arch, Large Size
20-1036	120° Arch, Large Size



Oblique Support Connection (SST)

Cat. No.

20-1300



Single Pin Fixation Bolt (Nut Included) (SST)

Cat. No.
20-1100



Adjustable Pin Fixation Clamp (SST)

Cat. No.
20-1201



Nut (For use with 201201 and 201100) (SST)

Cat. No. Size
20-1900 13 mm



Soft Goods

ILIZAROV Disc Clips

Cat. No.	Description	Qty.
10-2131	Wire, 1.5-1.8 mm	30
10-2132	Half Pin, 4 mm	10
10-2133	Half Pin, 5 mm	10



ILIZAROV Sponges

Cat. No.	Description	Qty.
10-2140	For ILIZAROV Wires	150



Sterilization Cases / Trays

Cat. No.	Description
7101-3635	ILIZAROV System, 80 mm - 130 mm Rings
7101-3626	ILIZAROV System, 140 mm - 180 mm Rings
7101-3627	ILIZAROV System, 200 mm - 240 mm Rings
7101-3628	ILIZAROV System, Special Rings and Arches
7101-3620	ILIZAROV System, Bolts, Nuts, and Washers
7101-3621	ILIZAROV System, Plates
7101-3622	ILIZAROV System, Wires and Instruments
7101-3623	ILIZAROV System, Rods, Posts, Supports and Hinges
7101-3624	ILIZAROV System, Telescopic Rods

Loaner Services ILIZAROV Sets

Cat. No.	Description
7255	ILIZAROV Basic Set (2 Trays)
7541	RANCHO Instrument Set
7610	RANCHO Hardware and Implants
7514	Small Bone Fixator Instruments
7493	Small Bone Fixator Hardware and Implants

TAYLOR SPATIAL FRAME

Standard Frames

Cat. No.	Description
7107-1442	Medium struts, 155 mm rings
7107-1551	Short struts, 180 mm rings
7107-1552	Medium struts, 180 mm rings



Open Frames

Cat. No.	Description
7107-2552	Medium struts, 180 mm rings
7107-2662	Medium struts, 205 mm rings




Foot Frame

Cat. No.	Description
7107-3442	Medium struts, 155 mm rings



Full Rings

Cat. No.	Inner Diameter
7107-0111	80 mm
7107-0112	105 mm
7107-0113	130 mm
7107-0114	155 mm
7107-0115	180 mm
7107-0116	205 mm
7107-0117	230 mm



Half Rings

Cat. No.	Inner Diameter
7107-0123	130 mm
7107-0124	155 mm
7107-0125	180 mm
7107-0126	205 mm
7107-0127	230 mm



2/3 Rings

Cat. No.	Inner Diameter
7107-0131	80 mm
7107-0132	105 mm
7107-0133	130 mm
7107-0134	155 mm
7107-0135	180 mm
7107-0136	205 mm
7107-0137	230 mm



Foot Rings & U-Plates

Cat. No.	Description
7107-0141	80 mm
7107-0142	105 mm
7107-0143	130 mm
7101-0144	155 mm Long
7107-0145	180 mm Long
7107-0154	155 mm Short
7107-0155	180 mm Short



Standard Struts

Cat. No.	Description
7107-0205	X-Short, 75-96 mm
7107-0210	Short, 90-125 mm
7107-0220	Medium, 116-178 mm
7107-0230	Long, 169-283 mm



FAST FX[®] Struts

Cat. No.	Description
7107-0705	X-Short, 91-121 mm
7107-0710	Short, 116-152 mm
7107-0720	Medium, 143-205 mm
7107-0730	Long, 195-311 mm



Accessory Block

Cat. No.	Description
7107-0161	Accessory Block



Lobe

Cat. No.	Description
7107-0160	X-Short, 75-96 mm



Bolts (SST)

Cat. No.	Description
7107-0310	Shoulder Bolt



Wrench

Cat. No.	Description
7107-0410	Torque Wrench




ID Bands

Cat. No.	Description
7107-0320	Standard Strut ID Band Kit
7107-0340	FAST FX Strut ID Band Kit




Trays & Caddies


Cat. No.	Description
7107-0490	Rings Tray



7107-0491	Struts and Wrenches Tray
-----------	--------------------------



7107-0492	Pins and Wires Tray
-----------	---------------------



7107-0493	Lid Insert
-----------	------------



7107-0494	Nuts, Bolts and Washers Caddy
-----------	-------------------------------



Orthopaedics – Smith & Nephew, Inc., 1450 Brooks Road,
Memphis, TN 38116, USA
Phone: 901-396-2121, Information: 1-800-821-5700,
Orders/inquiries: 1-800-238-7538
www.smith-nephew.com/orthopaedics

Pictures not to scale.

The ILIZAROV logo is a registered trademark of Medicalplastic srl, Milan, Italy.

*Trademark of Smith & Nephew, Reg. U.S. Pat & Tm. Off.